



# ROLLER SHUTTERS

1300 992 902

[www.glimpseoz.com.au](http://www.glimpseoz.com.au)

SELECTION CENTRE OPEN 7 DAYS!

24-28 Port Wakefield Rd, Gepps Cross 5094



# CURVED SERIES



AR400, AR401, AR402



**Rollashield®**  
PREMIUM ROLLER SHUTTERS by **ZROLL**



## SLAT PROFILES



## FEATURES & BENEFITS

- Insulation
- Added security
- Wide range of colours
- Minimum roll up size
  - Style choices
- Reduced greenhouse emissions
- Protection from the elements
  - Light control
  - Sound dampening

## TECHNICAL SPECIFICATIONS

Weight (per m <sup>2</sup> )	4kg
Maximum Curtain Width	3.6m
Maximum Area (m <sup>2</sup> )	8.0
Gauge of Aluminium	0.32mm
Profile Slat Height	40mm
Profile Slat Thickness	9mm
Standard Guide Dimensions	53mm
Standard Bottom Bar Dimensions	50mm
Standard Axle	50mm circular

The Rollashield Residential Curved Series profiles have been designed specifically to suit the domestic roller shutter market in Australia but are also ideal with many commercial applications. The slat is roll formed in our Adelaide manufacturing facility to the highest of world standards using German built roll forming machines which are the most advanced of their type in the world.

The Rollashield Residential Curved Series slat is a double walled cavity with PU foam injected during the roll forming process. This process provides economical strength and insulation qualities while maintaining exceptional working performance of the slat. The curved shape of the slat provides optimal lateral strength and minimal roll sizes, offering a much smaller head box size.


The Rollashield curved series is available in three different styles, the 400 with profile lines on the convex side and a smooth finish on the concave, the 401 with a smooth finish on both sides and the 402 with profile lines on both sides.

**Ozroll's slat profiles can reduce private heating and cooling costs by 40%**


*Based on tests using National Housing Energy Rating Software*

**BOX COLOUR OPTIONS**

Full colour options are only available for 165mm - 205mm.  
Please see page 3 to confirm colours for 150mm & 230mm sizes.



**ROLLER SHUTTER COLOUR**



**CONTROL OPTIONS**

**MANUAL**



**MOTORISED**



*Please note: Colours displayed are a guide only and have been matched as closely as possible. Due to the nature of the printing process, some degree of colour variation may occur. We recommend that you use production line prepared samples for final colour selection or approval.*

**SQUARE BOXING (SQ45)**

Sizes Available    Maximum Overall Height

150mm	1300mm
165mm	1700mm
180mm	2135mm
205mm	3000mm
230mm	3800mm

*Please note: Only when using Ozroll's 50mm circular axle.*